Volume 194 1990

Table of contents

No. 1 1–316 issued on November 26, 1990
No. 2 317–692 issued on December 12, 1990
No. 3 693–960 issued on December 27, 1990

Information for Authors 955–960

Reviews

The inhibitory glycine receptor: A ligand-gated chloride channel of the central nervous system
D. Langosch, C.-M. Becker and H. Betz 1– 8

Recent advances in the molecular analysis of inherited disease
S. Malcolm 317–321

Self recognition by the immune system
H. von Boehmer 693–698

Eukaryotic DNA replication — Enzymes and proteins acting at the fork
P. Thömmes and U. Hübscher 699–712

Nucleic acids, protein synthesis and molecular genetics

Cloning and nucleotide sequence of cDNA encoding human liver serine–pyruvate aminotransferase
K. Nishiyama, G. Berstein, T. Oda and A. Ichiyama 9– 18

Physical and immunological characterization of human transcription factor IIIA
R. Waldschmidt, D. Jahn, M. Teichmann, M. Jahn, W. Meissner and K. H. Seifart 167–176

Interferon-mediated transcriptional and post-transcriptional modulation of complement gene expression in human monocytes
D. F. Lappin, G. D. Birnie and K. Whaley 177–184

Structural characterization of the human DNA topoisomerase I gene promoter
N. Kunze, M. Klein, A. Richter and R. Knippers 323–330

Properties and partial characterization of the heat-shock factor from *Tetrahymena pyriformis*
M. do Carmo Avides, C. E. Sunkel, P. Moradas-Ferreira and C. Rodrigues-Pousada 331–336

A plant serpin gene — Structure, organization and expression of the gene encoding barley protein Z_4
A. Brandt, I. Svendsen and J. Hejgaard 499–505

Human poly(ADP-ribose) polymerase gene — Cloning of the promoter region
Y. Yokoyama, T. Kawamoto, Y. Mitsuuchi, T. Kurosaki, K. Toda, H. Ushiro, M. Terashima, H. Sumimoto, I. Kuribayashi, Y. Yamamoto, T. Maeda, H. Ikeda, Y. Sagara and Y. Shizuta 521–526

Direct repeats in the non-coding region of rabbit mitochondrial DNA — Involvement in the generation of intra- and inter-individual heterogeneity
F. Mignotte, M. Gueride, A.-M. Champagne and J.-C. Mounolou 561–571

Cloning, nucleotide sequence and regulation of the *Salmonella typhimurium pyrD* gene encoding dihydroorotate dehydrogenase
M. M. Frick, J. Neuhard and R. A. Kelln 573–578

Isolation and characterization of an inhibitor of ribosome-dependent GTP hydrolysis by elongation factor G
J. Voigt and K. Nagel 579–585

Isolation, characterization and chromosomal localization of cDNA clones for the $E_1\beta$ subunit of the pyruvate dehydrogenase complex
K. Chun, N. Mackay, H. F. Willard and B. H. Robinson 587–592

The functional and structural roles of residues Gln114 and Glu117 in elongation factor Tu
K. Harmark, R. H. Cool, B. F. C. Clark and A. Parmeggiani 731–737

Drosophila contains three genes that encode distinct isoforms of protein phosphatase 1
V. Dombrádi, J. M. Axton, N. D. Brewis, E. F. da Cruz e Silva, L. Alphey and P. T. W. Cohen 739–745

The isolation and characterization of a barley 1,3-1,4-β-glucanase gene
J. C. Litts, C. R. Simmons, E. E. Karrer, N. Huang and R. L. Rodriguez 831–838

Citrate synthase from the thermophilic archaebacterium *Thermoplasma acidophilum* — Cloning and sequencing of the gene
K. J. Sutherland, C. M. Henneke, P. Towner, D. W. Hough and M. J. Danson 839–844

Protein chemistry and structure

Amino acid sequence of a 12-kDa inhibitor of protein kinase C
N. M. Mozier, H. A. Zürcher-Neely, D. M. Guido, W. R. Mathews, R. L. Heinrikson, E. D. Fraser, M. P. Walsh and J. D. Pearson 19– 23

Structural transition of α_1-antitrypsin by a peptide sequentially similar to β-strand s4A
A. J. Schulze, U. Baumann, S. Knof, E. Jaeger, R. Huber and C.-B. Laurell 51– 56

The structure of gramicidin A in dimethylsulfoxide/acetone
B. Roux, R. Brüschweiler and R. R. Ernst 57– 60

Interaction of hemoglobin with chloride and 2,3-bisphosphoglycerate — A comparative approach
B. Giardina, O. Brix, A. Colosimo, R. Petruzzelli, L. Cerroni and S. G. Condo 61–65

Amino acid sequence of the monomer subunit of the giant extracellular hemoglobin of the aquatic oligochaete, *Tubifex tubifex*
M. S. Stern, S. N. Vinogradov, P. K. Sharma, K. Ereifej and D. A. Walz 67–73

Mutagenesis of the pseudosubstrate site of protein kinase C leads to activation
C. J. Pears, G. Kour, C. House, B. E. Kemp and P. J. Parker 89–94

Cloning and sequence analysis of the genes encoding the dihydrolipoamide acetyltransferase and dihydrolipoamide dehydrogenase components of the pyruvate dehydrogenase multienzyme complex of *Bacillus stearothermophilus*
A. Borges, C. F. Hawkins, L. C. Packman and R. N. Perham 95–102

Independent folding of individual components in hybrid proteins — Evidence that the carboxy-terminal 135 residues of the LexA repressor constitute a single autonomous domain
S. N. Slilaty, M. Quellet, M. Fung and S.-H. Shen 103–108

Tertiary structure of two-electron reduced *Megasphaera elsdenii* flavodoxin and some implications, as determined by two-dimensional ^{1}H-NMR and restrained molecular dynamics
C. P. M. van Mierlo, P. Lijnzaad, J. Vervoort, F. Müller, H. J. C. Berendsen and J. de Vlieg 185–198

A two-dimensional ^{1}H-NMR study on *Megasphaera elsdenii* flavodoxin in the oxidized state and some comparisons with the two-electron-reduced state
C. P. M. van Mierlo, B. P. J. van der Sanden, P. van Woensel, F. Müller and J. Vervoort 199–216

Biosynthesis of the lantibiotic Pep5 — Isolation and characterization of a prepeptide containing dehydroamino acids
H.-P. Weil, A. G. Beck-Sickinger, J. Metzger, S. Stevanovic, G. Jung, M. Josten and H.-G. Sahl 217–223

Isolation and full structural characterisation of six adrenocorticotropin-like peptides from porcine pituitary gland — Identification of three novel fragments of adrenocorticotropin and of two forms of a novel adrenocorticotropin-like peptide
K. Voigt, W. Stegmaier, G. P. McGregor, H. Rösch and H. Seliger 225–236

ADP-ribosylation of actin isoforms by *Clostridium botulinum* C2 toxin and *Clostridium perfringens* iota toxin
S. Mauss, C. Chaponnier, I. Just, K. Aktories and G. Gabbiani 237–241

Primary structure and functional properties of cobra (*Naja naja naja*) venom Kunitz-type trypsin inhibitor
J. Shafqat, O. U. Beg, S.-J. Yin, Z. H. Zaidi and H. Jörnvall 337–341

Hemoglobin Saint Mandé [β102 (G4) Asn→Tyr] — Functional studies and structural modeling reveal an altered T state
C. Poyart, O. Schaad, J. Kister, F. Galacteros, S. J. Edelstein, Y. Blouquit and N. Arous 343–348

Oxalate as synergistic anion for Cd(II) binding to ovotransferrin
M. Sola 349–353

A systematic approach towards the complete assignment of ^{13}C resonances for horse ferrocytochrome *c*
Y. Gao, J. Boyd and R. J. P. Williams 355–365

Structure/activity relationships of C-terminal neuropeptide Y peptide segments and analogues composed of sequence 1–4 linked to 25–36
A. G. Beck-Sickinger, G. Jung, W. Gaida, H. Köppen, G. Schnorrenberg and R. Lang 449–456

Physicochemical and biological characterization of asialoerythropoietin — Suppressive effects of sialic acid in the expression of biological activity of human erythropoietin *in vitro*
N. Imai, M. Higuchi, A. Kawamura, K. Tomonoh, M. Oh-Eda, M. Fujiwara, Y. Shimonaka and N. Ochi 457–462

Primary structure and inhibition of protein synthesis in eukaryotic cell-free system of a novel thionin, γ-hordothionin, from barley endosperm
E. Mendez, A. Moreno, F. Colilla, F. Pelaez, G. G. Limas, R. Mendez, F. Soriano, M. Salinas and C. de Haro 533–539

Amino acid sequence of *in vivo* phosphorylation sites in the main intrinsic protein (MIP) of lens membranes
P. D. Lampe and R. G. Johnson 541–547

Avian alcohol dehydrogenase: the chicken liver enzyme — Primary structure, cDNA-cloning, and relationships to other alcohol dehydrogenases
M. Estonius, C. Karlsson, E. A. Fox, J.-O. Höög, B. Holmquist, B. L. Vallee, W. S. Davidson and H. Jörnvall 593–602

Limited proteolysis of γII-crystallin from calf eye lens — Physicochemical studies on the N-terminal domain and the intact two-domain protein
A. K. Sharma, V. Minke-Gogl, P. Gohl, R. Siebendritt, R. Jaenicke and R. Rudolph 603–609

Structural characterization of a recombinant CD4-IgG hybrid molecule
R. J. Harris, K. L. Wagner and M. W. Spellman 611–620

Changes of the oligomeric structure of legumin from pea (*Pisum sativum* L.) after succinylation
K. D. Schwenke, D. Zirwer, K. Gast, E. Görnitz, K.-J. Linow and J. Gueguen 621–627

Assignment of the ^{1}H-NMR spectrum of a *lac* repressor headpiece-operator complex in H_2O and identification of NOEs — Consequences for protein-DNA interaction
R. M. J. N. Lamerichs, R. Boelens, G. A. van der Marel, J. H. van Boom and R. Kaptein 629–637

Human liver manganese superoxide dismutase — Purification and crystallization, subunit association and sulfhydryl reactivity
Y. Matsuda, S. Higashiyama, Y. Kijima, K. Suzuki, K. Kawano, M. Akiyama, S. Kawata, S. Tarui, H. F. Deutsch and N. Taniguchi 713–720

Immunological characterization of rapeseed myrosinase
M. Lenman, J. Rödin, L.-G. Josefsson and L. Rask 747–753

Enzymatic activity of prostate-specific antigen and its reactions with extracellular serine proteinase inhibitors
A. Christensson, C.-B. Laurell and H. Lilja 755–763

Construction, expression and unexpected regulatory properties of a tropomyosin mutant with a 31-residue deletion at the C-terminus (exon 9)
A. Bartegi, C. Ferraz, A. Fattoum, J. Sri Widada, F. Heitz, R. Kassab and J.-P. Liautard 845–852

Enzymology

Properties of purified squalene-hopene cyclase from *Bacillus acidocaldarius*
D. Ochs, C. H. Tappe, P. Gärtner, R. Kellner and K. Poralla 75–80

Basic polycations activate the insulin receptor kinase and a tightly associated serine kinase
Y. Biener and Y. Zick 243–250

Characterization of two tyrosine-specific protein kinases from pig spleen — Substrate-specific effect of autophosphorylation
A. G. Batzer, S. Kirsch and H. W. Hofer 251–258

Kinetics of the oxidation of ferrocyanide by lactoperoxidase compound II
D. M. Kardel, H. B. Dunford and S. Alexandre 259–262

The molybdoenzyme formylmethanofuran dehydrogenase from *Methanosarcina barkeri* contains a pterin cofactor
M. Karrasch, G. Börner, M. Enssle and R. K. Thauer 367–372

The synthesis of 3-phosphonoalanine, phosphonopyruvic acid and phosphonolactic acid — Scission of the C-P bond during diazotization of phosphonoalanine
M. J. Sparkes, K. L. Rogers and H. B. F. Dixon 373–376

Thermodynamics of information transfer between subunits in oligomeric enzymes and kinetic cooperativity — 1. Thermodynamics of subunit interactions, partition functions and enzyme reaction rate
J. Ricard, M.-T. Giudici-Orticoni and J. Buc 463–473

Thermodynamics of information transfer between subunits in oligomeric enzymes and kinetic cooperativity — 2. Thermodynamics of kinetic cooperativity
M.-T. Giudici-Orticoni, J. Buc and J. Ricard 475–481

Thermodynamics of information transfer between subunits in oligomeric enzymes and kinetic cooperativity — 3. Information transfer between the subunits of chloroplast fructose bisphosphatase
M.-T. Giudici-Orticoni, J. Buc, M. Bidaud and J. Ricard 483–490

Modelling of substrate binding to 3-phosphoglycerate kinase with analogues of 3-phosphoglycerate
M. Vas 639–645

Evidence that enzymes of a novel aerobic 2-amino-benzoate metabolism in denitrifying *Pseudomonas* are coded on a small plasmid
U. Altenschmidt, C. Eckerskorn and G. Fuchs 647–653

Matrix metalloproteinase 2 from human rheumatoid synovial fibroblasts — Purification and activation of the precursor and enzymic properties
Y. Okada, T. Morodomi, J. J. Enghild, K. Suzuki, A. Yasui, I. Nakanishi, G. Salvesen and H. Nagase 721–730

A novel nitrilase, arylacetonitrilase, of *Alcaligenes faecalis* JM3 — Purification and characterization
T. Nagasawa, J. Mauger and H. Yamada 765–772

Different specificities of spleen tyrosine protein kinases for synthetic peptide substrates
A. Donella-Deana, A. M. Brunati, F. Marchiori, G. Borin, O. Marin and L. A. Pinna 773–777

Large-scale preparation of T4 endonuclease VII from over-expressing bacteria
H. G. Kosak and B. W. Kemper 779–784

Over-production, purification and properties of the uridine-diphosphate-*N*-acetylmuramoyl-L-alanyl-D-glutamate: *meso*-2,6-diaminopimelate ligase from *Escherichia coli*
C. Michaud, D. Mengin-Lecreulx, J. van Heijenoort and D. Blanot 853–861

Purification and characterization of lipoamide dehydrogenase from *Trypanosoma cruzi*
H. Lohrer and R. L. Krauth-Siegel 863–869

Two genetically distinct methyl-coenzyme M reductases in *Methanobacterium thermoautotrophicum* strain Marburg and ΔH
S. Rospert, D. Linder, J. Ellermann and R. K. Thauer 871–877

Kinetics and thermodynamics of catalysis by the inorganic pyrophosphatase of *Escherichia coli* in both directions
A. A. Baykov, A. S. Shestakov, V. N. Kasho, A. V. Vener and A. H. Ivanov 879–887

Expression of human liver cytochrome *P*450 IIIA4 in yeast — A functional model for the hepatic enzyme
J.-P. Renaud, C. Cullin, D. Pompon, P. Beaune and D. Mansuy 889–896

A highly active and oxidation-resistant subtilisin-like enzyme produced by a combination of site-directed mutagenesis and chemical modification
H. Grøn, L. M. Bech, S. Branner and K. Breddam 897–901

Carbohydrates, lipids and other natural products

Content, pattern and metabolic processing of rat-liver gangliosides during liver regeneration
L. Riboni, R. Ghidoni, A. Benevento and G. Tettamanti 377–382

Characteristic binding of human plasma apolipoprotein B to gangliotetraosylceramide and gangliotriaosylceramide
J. Ledvinova, M. Iwamori and Y. Nagai 507–511

Purification and fractionation of lipopolysaccharide from Gram-negative bacteria by hydrophobic interaction chromatography
W. Fischer 655–661

A new force-field program for the calculation of glycopeptides and its application to a heptacosapeptide-decasaccharide of immunoglobulin G_1 – Importance of 1–6-glycosidic linkages in carbohydrate · peptide interactions
R. Stuike-Prill and B. Meyer 903–919

Physical and inorganic biochemistry

Involvement of the hydrophobic patch of azurin in the electron-transfer reactions with cytochrome c_{551} and nitrite reductase
M. van de Kamp, M. C. Silvestrini, M. Brunori, J. Van Beeumen, F. C. Hali and G. W. Canters 109–118

A d(GpG)-platinated decanucleotide duplex is kinked – An extended NMR and molecular mechanics study
F. Herman, J. Kozelka, V. Stoven, E. Guittet, J.-P. Girault, T. Huynh-Dinh, J. Igolen, J.-Y. Lallemand and J.-C. Chottard 119–133

Infrared spectroscopy of phytochrome and model pigments
F. Siebert, R. Grimm, W. Rüdiger, G. Schmidt and H. Scheer 921–928

Membranes and bioenergetics

Effect of isolated C-terminal fragment of θ-toxin (perfringolysin O) on toxin assembly and membrane lysis
M. Iwamoto, Y. Ohno-Iwashita and S. Ando 25– 31

Early events in the import/assembly pathway of an integral thylakoid protein
J. E. Reed, K. Cline, L. C. Stephens, K. O. Bacot and P. V. Viitanen 33– 42

The identification of cytochromes involved in the transfer of electrons to the periplasmic NO_3^- reductase of *Rhodobacter capsulatus* and resolution of a soluble NO_3^--reductase–cytochrome-c_{552} redox complex
D. J. Richardson, A. G. McEwan, M. D. Page, J. B. Jackson and S. J. Ferguson 263–270

Photoaffinity labelling of the purine–cytosine permease of *Saccharomyces cerevisiae*
M.-C. Chirio, D. Brèthes, C. Napias, X. Grandier-Vazeille, F. Rakotomanana and J. Chevallier 293–299

Different classes of tryptophan residues involved in the conformational changes characteristic of the sarcoplasmic reticulum Ca^{2+}-ATPase cycle
B. de Foresta, P. Champeil and M. le Maire 383–388

Analysis of the membrane potential of rat- and mouse-liver mitochondria by flow cytometry and possible applications
P. X. Petit, J. E. O'Connor, D. Grunwald and S. C. Brown 389–397

Cloning and DNA sequencing of the *fbc* operon encoding the cytochrome bc_1 complex from *Rhodobacter sphaeroides* – Characterization of *fbc* deletion mutants and complementation by a site-specific mutational variant
C.-H. Yun, R. Beci, A. R. Crofts, S. Kaplan and R. B. Gennis 399–411

Dialdehyde ATP derivative as an affinity modifier of the Na^+,K^+-ATPase active site
L. R. Bernikov, K. N. Dzhandzhugazyan, S. V. Lutsenko and N. N. Modyanov 413–421

The ATPase of *Bacillus alcalophilus* – Purification and properties of the enzyme
A. Hoffmann and P. Dimroth 423–430

Activation and inhibition of the calcium-release channel of isolated skeletal muscle heavy sarcoplasmic reticulum – Models of the calcium-release channel
W. Wyskovsky, M. Hohenegger, B. Plank, G. Hellmann, S. Klein and J. Suko 549–559

Distances between functional sites of the $Ca^{2+} + Mg^{2+}$-ATPase from sarcoplasmic reticulum using Co^{2+} as a spectroscopic ruler
A. Cuenda, F. Henao and C. Gutierrez-Merino 663–670

The presence of two classes of high-affinity cyclosporin A binding sites in mitochondria – Evidence that the minor component is involved in the opening of an inner-membrane Ca^{2+}-dependent pore
O. McGuinness, N. Yafei, A. Costi and M. Crompton 671–679

The tricarboxylate carrier from rat liver mitochondria – Purification, reconstitution and kinetic characterization
D. M. Glerum, D. Claeys, W. Mertens and A. Azzi 681–684

Molecular and biochemical characterization of the Dio-9-resistant *pma1-1* mutation of the H^+-ATPase from *Saccharomyces cerevisiae*
L. Van Dyck, J. H. Petretski, H. Wolosker, G. Rodrigues Jr, A. Schlesser, M. Ghislain and A. Goffeau 785–790

Uptake of glutamate in *Corynebacterium glutamicum* – 1. Kinetic properties and regulation by internal pH and potassium
R. Krämer, C. Lambert, C. Hoischen and H. Ebbighausen 929–935

Uptake of glutamate in *Corynebacterium glutamicum* – 2. Evidence for a primary active transport system
R. Krämer and C. Lambert 937–944

Metabolism and metabolic regulation

Ultimate limits for the reaction flux and metabolite levels that may be evolutionarily reached in a linear metabolic pathway
G. Pettersson and P. Pettersson 135–139

What metabolite levels may be evolutionarily reached in the glycolytic pathway?
G. Pettersson 141–146

Triiodothyronine increases rat apolipoprotein A-I synthesis and alters high-density lipoprotein composition *in vivo*
J. J. Apostolopoulos, J. F. Marshall and G. J. Howlett 147–154

Metabolism of cysteinyl leukotrienes in monkey and man
M. Huber, J. Müller, I. Leier, G. Jedlitschky, H. A. Ball, K. P. Moore, G. W. Taylor, R. Williams and D. Keppler 309–315

On the mechanistic origin of damped oscillations in biochemical reaction systems
U. Ryde-Pettersson 431–436

Purification and partial characterization of pyruvate decarboxylase from *Oryza sativa* L.
J. Rivoal, B. Ricard and A. Pradet 791–797

Reaction pathways for biodehalogenation of fluorinated anilines
I. M. C. M. Rietjens, B. Tyrakowska, C. Veeger and J. Vervoort 945–954

Signal transduction and molecular neurobiology

KRDS, a new peptide derived from human lactotransferrin, inhibits platelet aggregation and release reaction
E. Mazoyer, S. Lévy-Toledano, F. Rendu, L. Hermant, H. Lu, A.-M. Fiat, P. Jolles and J. Caen 43–49

Possible interaction of α_1-adrenergic receptor with pertussis-toxin-sensitive guanine-nucleotide-binding regulatory proteins (G proteins) responsible for phospholipase C activation in rat liver plasma membranes
M. Tohkin, T. Yagami, T. Katada and T. Matsubara 81–87

Involvement of pertussis-toxin-sensitive G protein in muscarinic-receptor-mediated inhibition of K^+-activated 4-nitrophenylphosphatase activity of cardiac sarcolemma
M. P. Danilenko, M. P. Panchenko, O. V. Yesirev and V. A. Tkachuk 155–160

Primary structure and functional expression of the α-, β-, γ-, δ- and ε-subunits of the acetylcholine receptor from rat muscle
V. Witzemann, E. Stein, B. Barg, T. Konno, M. Koenen, W. Kues, M. Criado, M. Hofmann and B. Sakmann 437–448

Neurokinin A induces expression of the *c-fos*, *c-jun*, and *c-myc* genes in rat smooth muscle cells
A. Hultgårdh-Nilsson, S. H. Larsson, P. Jin, T. Sejersen and N. R. Ringertz 527–532

Effector-dependent conformational changes in protein kinase Cγ through epitope mapping with inhibitory monoclonal antibodies
S. Cazaubon, C. Webster, L. Camoin, A. D. Strosberg and P. Parker 799–804

Molecular cell biology

Delineation of the minimal portion of the *Bacillus sphaericus* 1593M toxin required for the expression of larvicidal activity
P. Šebo, T. Bennardo, F. de la Torre and J. Szulmajster 161–165

Solubilization and hydrodynamic characteristics of the erythropoietin receptor — Evidence for a multimeric complex
P. Mayeux, N. Casadevall, C. Lacombe, O. Muller and P. Tambourin 271–278

Herpes simplex virus type-1 immediate-early gene expression and shut off of host protein synthesis are inhibited in neomycin-treated human epidermoid carcinoma 2 cells
D. Garcin, T. Massé, J.-J. Madjar and B. Jacquemont 279–286

Herpes simplex virus type-1-induced stimulation of ribosomal protein S6 phosphorylation is inhibited in neomycin-treated human epidermoid carcinoma 2 cells and in *ras*-transformed cells
T. Massé, D. Garcin, B. Jacquemont and J.-J. Madjar 287–291

Respiratory burst of rabbit peritoneal neutrophils — Transition from an NADPH diaphorase activity to an $^{\cdot}O_2^-$-generating oxidase activity
F. Laporte, J. Doussiere and P. V. Vignais 301–308

Characterization of human factor VIII and interaction with von Willebrand factor — An electron microscopic study
H. F. G. Heijnen, J. A. Koedam, H. Sandberg, N. H. Beeser-Visser, J. W. Slot and J. J. Sixma 491–498

Modulation of DNA methylation and gene expression in cultured sycamore cells treated by hypomethylating base analog
J. Ngernprasirtsiri and T. Akazawa 513–520

Temperature-induced expression of proteins in *Leishmania mexicana amazonensis* — A 22-kDa protein is possibly localized in the mitochondrion
E. Pinelli and M. Shapira 685–691

Intracellular accumulation and oligosaccharide processing of alkaline phosphatase under disassembly of the Golgi complex caused by brefeldin A
N. Takami, K. Oda, T. Fujiwara and Y. Ikehara 805–810

Factors affecting nucleosome structure in transcriptionally active chromatin — Histone acetylation, nascent RNA and inhibitors of RNA synthesis
L. C. Boffa, J. Walker, T. A. Chen, R. Sterner, M. R. Mariani and V. G. Allfrey 811–823

Serotonin organelles of rabbit platelets contain synaptophysin
M. Bähler, A. M. Cesura, G. Fischer, H. Kuhn, R. L. Klein and M. Da Prada 825–829

Indexed in *Current Contents*